

NP-SG118L LCD Metal Detector Door

NP-SG118L LCD metal detector door, adopting advanced electromagnetic compatibility, has high detection sensitivity, strong anti-interference ability. It is suitable for safety inspection of dangerous goods and is widely used in public occasions and important places, and etc.



Key Features


- Detects micro metals like half paper clip
- Detects all metal objects more than 2cm above the ground
- Detects metal objects thrown through the door
- Detects multiple metals in different positions of the human body simultaneously
- Distinguishes ferromagnetic from non-ferromagnetic metal objects
- Supports POST (power on self-test)
- 18 independent detection zones with each zone of the sensitivity level of 2000
- 11 kinds of working frequency available or manual setting from 7000 to 8999Hz
- Precisely detects passing passerby and alarmed passerby via infrared ray
- PVC material for the door
- Reserves communication interface for computers, cameras and etc.
- In accordance with the international safety standard, friendly to pregnant woman, people with cardiac pacemaker and etc.
- Anti-interference design, multiple inspection door working at the same time without mutual interference
- Nixie tube display with high light
- Easy to transport and maintain



Specifications

Model	NP-SG118L
Operating frequency	Auto Adjust
Working temperature	-20 °C to 55 °C (-4 °F to 131 °F)
Working humidity	95% (non-condensing)
Power supply	100V to 240 V, 50/60 Hz
Power consumption	< 15 w
Dimension (L x W x H)	2210 mm x 820 mm x 605 mm (87" x 32.2" x 23.8")
Passageway dimension (L x W x H)	1980 mm x 710 mm x 605 mm (77.9" x 27.9" x 23.8")
Gross weight	70 kg (154.3lb)
Protection level	IP 52

Dimension



Available Model

NP-SG118L

Distributed by

**HIKVISION®****Headquarters**

No.555 Qianmo Road, Binjiang District,
Hangzhou 310051, China
T +86-571-8807-5998
overseasbusiness@hikvision.com

Hikvision USA

T +1-909-895-0400
sales.usa@hikvision.com

Hikvision Australia

T +61-2-8599-4233
salesau@hikvision.com

Hikvision India

T +91-22-28469900
sales@pramahikvision.com

Hikvision Canada

T +1-866-200-6690
sales.canada@hikvision.com

Hikvision Thailand

T +662-275-9949
sales.thailand@hikvision.com

Hikvision Europe

T +31-23-5542770
sales.eu@hikvision.com

Hikvision Italy

T +39-0438-6902
info.it@hikvision.com

Hikvision Brazil

T +55 11 3318-0050
Latam.support@hikvision.com

Hikvision Turkey

T +90 (216)521 7070- 7074
sales.tr@hikvision.com

Hikvision Malaysia

T +601-7652-2413
sales.my@hikvision.com

Hikvision UK & Ireland

T +01628-902140
sales.uk@hikvision.com

Hikvision South Africa

Tel: +27 (10) 0351172
sale.africa@hikvision.com

Hikvision France

T +33(0)1-85-330-450
info.fr@hikvision.com

Hikvision Kazakhstan

T +7-727-9730667
nikia.panfilov@hikvision.ru

Hikvision Vietnam

T +84-974270888
sales.vt@hikvision.com

Hikvision UAE

T +971-4-4432090
salesme@hikvision.com

Hikvision Singapore

T +65-6684-4718
sg@hikvision.com

Hikvision Spain

T +34-91-737-16-55
info.es@hikvision.com

Hikvision Tashkent

T +99-87-1238-9438
uzb@hikvision.ru

Hikvision Hong Kong

T +852-2151-1761
Info.hk@hikvision.com

Hikvision Russia

T +7-495-669-67-99
saleru@hikvision.com

Hikvision Korea

T +82-(0)31-731-8817
sales.korea@hikvision.com

Hikvision Poland

T +48-22-460-01-50
info.pl@hikvision.com

Hikvision Indonesia

T +62-21-2933759
Sales.Indonesia@hikvision.com

Hikvision Colombia

sales.colombia@hikvision.com